

From: Richard Fetzer/R3/USEPA/US
Sent: 1/23/2012 12:48:08 PM
To: scperry@pa.gov
CC: carney.dennis@epa.gov; heston.gerald@epa.gov; Taylor.Trish@epamail.epa.gov; Jennie Saxe/R3/USEPA/US@EPA; KarenD Johnson/R3/USEPA/US@EPA
Subject: Fw: water sampling plan

Scott,

Here's the email Trish Taylor (our CIC) sent to [Ex. 6 - Personal Privacy] after she called her. I am not aware of any appointment set up, but Trish could answer that question.

This seems to have answered her questions at this point.

Rich

Richard M. Fetzer
Federal On-Scene Coordinator
100 Gypsum Road
Stroudsburg, PA 18360
(215) 341-6307

----- Forwarded by Richard Fetzer/R3/USEPA/US on 01/23/2012 12:39 PM -----

From: Trish Taylor/R3/USEPA/US
To: [Ex. 6 - Personal Privacy]
Date: 01/23/2012 11:32 AM
Subject: water sampling plan

Hi [Ex. 6 - Personal Privacy]

Per our telephone conversation, attached is our sampling plan for the upcoming well water sampling. On page 10, there's a short list of compounds that we are asking the lab to get results back to us within ~5 business days.

The larger, more comprehensive list of compounds we are looking at, listed in the tables at the end of the plan, will take longer to get back from the lab; around 5 weeks. Once we get the short list results back, we'll be able to provide a quick synopsis to you on the quality of your well water. The longer list will provide a more comprehensive overview of the water. As we move forward, there may be minor adjustments to plans for various reasons, but none that change the main focus of the testing.

Please let me know if you have any questions or problems opening the document.

Sincerely,

Trish Taylor, Community Involvement Coordinator
Hazardous Site Cleanup Division
U.S. Environmental Protection Agency, Region 3
1650 Arch Street, Philadelphia, PA
phone: (215) 814 - 5539
fax: (215) 814 - 5031